
# Lane/3000

Designed for fast payment at lane





Designed to manage thousands of transactions per day, the Lane/3000 is a cutting-edge retail PIN Pad, ideal for busy retailers. Available in two forms, retailer can choose between a modular or a non-modular version.

## Two modules available

While the 'non-modular' model focuses exclusively on processing EMV payments for multilane checkouts, the 'modular' model includes optional high-end features upgradable in the field such as a camera, WiFi or Bluetooth. The benefit of having two variations means that businesses can choose whether they want to focus on the core payment or offer more flexibility by promoting a range of other innovative payment and communication options.

# Tough security

The Lane/3000 is certified and fully compliant with the latest global and local PCI regulations. The Telium TETRA OS has been future-proofed with top-of-the-line cryptography software and Ingenico's world-class peer-to-peer encryption technology to keep data safe. Designed to be fixed to each lane, Lane/3000 is equipped with anti-theft systems, such as Kensington locks, to strengthen physical security.





# Designed for retailers

Conceived for an intensive retail usage, the
Lane/3000 is featured with a heavy duty magnetic
stripe and smartcard readers optimized to boost
transaction speeds. Its very large dedicated
contactless card reader zone speeds up checkout
times for customers. With its compact and robust
design , it integrates into any retail environment, including semiunattended retail store kiosks.

## Compatible with Ingenico's suite of services

Keeping the solutions connected, the Lane/3000 works in unison with Ingenico's supporting service platforms, meaning retailers will have access to business services such as back office reporting. Software updates and day-to-day support deliver a hassle-free experience for those using this innovative range.

Lane/3000 is supported by our Cloud Services



			MODULAR	NON- MODULAR
Processor	Applications     & Crypto Processor	• Cortex A5	•	•
Memory	Internal     External	• 256 MB Flash, 128 MB RAM • Micro SD up to 32 GB	• Option	• N/A
OS		• Telium TETRA HTML5	•	•
SAM		• 1 • Up to 3	Option	Option
Card Reader(s)	Magstripe     Second Magstripe (Dual Head)     Smart Card      Contactless	ISO1/2/3,     500K reads lifespan     ISO1/2,     500K reads lifespan     EMV Level 1,     500K reads lifespan     EMV Level 1	Option	N/A
Camera		• 2M pixels (QR code library embedded)	Option	N/A
Display	• Colour	• 2.8" backlight, QVGA (320x240 pixels)	•	•
Touchscreen	Capacitive	• Finger & stylus (1000K lifespan signature)	Option	Option
Keypad		15 keys, raised markings, backlit     4 function keys (non-touch version)	Option	Option
Audio	Buzzer     Audio Jack     Speaker	Stereo     Mono	Option Option	• Option Option

			MODULAR	NON- MODULAR
Terminal Connectivity	Wired     Wireless	• Ethernet 10/100 base T • WIFI and Bluetooth	• Option	• N/A
Terminal Connections	USB     Serial     Powered USB     Powered RS 232     Powered Ethernet     External Power Supply	• USB Host • USB Slave • 1 RS232 • 12 V (USB retail) • 12 V • POE Compliant with 802.3af (1)	Option	• • • N/A
Stand Mounting	*	• Universal Payment Mount	•	•
Terminal Size		• 83 x 180 x 43 mm (3.26x7.08x1.69")	•	•
Weight	*	• 254 g (8.89oz)	•	•
Environment	Operating temperature     Storage temperature     Relative humidity	• 0 to +50°C (32°F to 122°F) • -20 to +70°C (-4°F to 131°F) • 85% HR at +40°C (104°F)	•	•
Accessories	Privacy shield (factory mouted) Stylus kit	• PCI compliant	Option	Option
Security	PCI PTS Anti-removal Anti-theft	PCI PTS 5.x certified Active connector removal Kensington lock receptacles Secure mounts available	• • Option	• • Option



